To:

**G.A.L. Manufacturing Corporation** 50 East 153<sup>rd</sup> Street, Bronx N.Y. 10451. Tel. (877) 425-3538 Fax (718) 292-2034 E-mail info@ gal.com

GALSSI SENTING OF DELIVER STABLISHED 1927

## DOOR OPERATING EQUIPMENT ESTIMATE/ORDER FORM

From:				Sheet of		
Customer_						
-	by			Date reqd		
Customer A	Address					
		•				
Job name_				Car #		
DOOR OPI	ENING x WIDTH HEIGH	Right H	and ☐Left Han L.H. ☐2/SP ☐3/SP	C.P.		
□New Inst		ization (provide surve Existing Door Equipr	ey sheets) ment Mfg	Comply with Code		
QTY	PRODUCT					
	MOVFR II OPERATOR (Includes Drive Arm(s) & Gate Switch) 200/230VAC Single phase with 500VA capacity supply is required.					
		If 200/230VAC is n	ot available choose	one of the following:		
		Transformer	Transformer ☐ 120 to 230VAC ☐ 440/480/575 to 220VAC			
	Parameter Unit	☐ Hand Held ☐ Operator Mounted				
	OTHER OPERATOR	MODEL (Includes Drive Arm(s) & Gate Switch)  ☐ 220vdc motor ☐ 115vdc motor (MOH not available)				
		For CT type operate ☐240VAC	ors supply door open ☐120VAC	& door close relay voltage:  110VDC OtherAC DC		
	CAR DOOR HANGER	OR HANGER (Includes header, track, and hangers) HEADER HEIGHT(Distance from Top of Car Door to Operator				
	CAR DOOR CLUTCH	☐ with zone lock	☐ without zone loc	k		
	INFRARED CURTAIN	☐ Formula System	ı-FCU47	☐ Tri-Tronics-Leading EDGE		
	SAFETY EDGE	with double beam infrared electric eyes				
	HATCH DOOR HANGER	(Includes tracks an	d hangers)	( )R.H. ( )L.H.		
DOOR CLOSER		☐ Spring (linkage)		☐ Reel (spirator) S/S & C/P Doors only		
	INTERLOCK	(Includes Roller Release)				
	EMERGENCY UNLOCKIN	IG KEY				
	KEY BOX	☐ Stainless Steel☐ #4 Satin	☐ Muntz Metal ☐ #8 Mirror	☐ Flush Mounted ☐ Surface Mounted		
ADDITIONA	L EQUIPMENT					
Cab Mfg:		Entrance Mfg:		Controller Mfg: ☐New ☐Existing		

TABLISHED 1927	CAR FIXTURES  DATE:  ESTIMATE #  PURCHASE ORDER #					
TRACTOR						
JOB						
			G.A.L. #			
VATOR(S)	PASSENGER FREIGHT	( )SETS FOR APPROVAL				
Y. TYPE	DESCRIPTION	B - J	UNIT NET	TOTAL I		
	CAR STATION					
	RUN/STOP KO	FIRE SERVICE KOFIRE SERVICE LIGHT				
	EMERG. STOP P/P TOG#®	FIRE SERVICE LIGHT				
	FLOOR BUTTONS (ILLUM) CLE	CALL CANCEL PB  AUD. SIG.(FIRE-NUDGING-ATT-EMT)				
	FLOOR MARKINGS ON PB CAPS	PHONE JACK				
	FLOOR DISC. KO(KEYED SAME-DIFF)	DUPLEX RECEPTACLE (GFCI)				
	KO PB (S/R)	EMERG, SERV. SW. KO & LIGHT				
	DOOR OPEN PB	LIGHT SW. KO				
	DOOR STOP PR 41-®					
	DOOR RESET PB \(\square\text{\psi}\)	INSPECTION SW. KO				
	AUDIBLE SIGNAL PB	INDEPENDENT SERVICE SW. KO				
	DOOR HOLD PB SW. KO	EMERG. LIGHT TEST PB SW. KO				
	INDICATOR MULTILIGHT-DIGITAL PASSING GONG-CHIME	MG-POWER SW. KO & LIGHT				
	EMERGENCY LIGHT	UP & DOWN PB'S				
	SERV. CABINET W/LOCKED DOOR	NON.STOP PB				
	EMERG. PHONE REQUIREMENT	UP & DOWN ARROWS				
	HANDS FREE, COVER MOUNTED HANDS FREE, INSIDE COMPARTMENT	PB SW. KO ELEVATOR NUMBER				
	COMPARTMENT WITHOUT PHONE	CAPACITYLBS.				
	GRILLE FOR INTERCOM SPEAKER,	NO SMOKING				
	PUSH TO TALK PB & CALL RECEIVED LIGHT(SPEAKER BY YOU)	FIRE SERVICE INSTRUCTIONS				
	RECEIVED EIGHT(STEAKER BY 100)	minophonocological ring distinct				
	CAR CTATION (AUVILIARY)	HINGE ( ) -LEFT ( ) -RIGHT				
	CAR STATION (AUXILIARY)  RUN/STOP KO	EMERGENCY LIGHT EMERG. PHONE REQUIREMENT #				
	EMERG. STOP PP/TOG	HANDS FREE, COVER MOUNTED				
	ALARM BUTTON (ILLUM) 44.0	HANDS FREE, INSIDE COMPARIMENT				
	FLOOR RUTTONS (ILLIM) 44-®	COMPARIMENT WITHOUT PHONE				
	DOOR CLOSE PB	PUSH TO TALK PB & CALL				
	INDICATOR MULTILIGHT-DIGITAL	RECEIVED LIGHT(SPEAKER BY YOU) HINGE ( ) -LEFT ( ) -RIGHT				
	CAR INDICATOR (MULTILIGHT-DIGITAL)		<u> </u>			
	LANDINGS DIRECTION ARE					
		ROUND INSERTSQUARE INSERT"HIGH CHAR'S CUT THRU				
		VELING LANTERN (TALKING-GONG-CHIME W/1 STROKE UP-2 DOWN) UNLESS OTHERWISE NOTEDVOLT VERT HORIZ				
	EMERG. PHONE CABINET: PHONE COVER M	-				
CT-	CAR TOP INSPECTION STATION	TO THORE MAINE CADINET, TO THORE				
810	CAR TOP EMERGENCY LIGHT BATTERY ENC	CLOSURE				
3,0	6" ALARM BELL FOR USE WITH EMERGENCE	1				
1111		MACHINE ROOM DIGITAL P.I. DRIVE ASSEMBLY (WITH FIRE SERVICE DISPLAY CONTROL)				
	The state of the s					
	MARKINGS WITH RAISED CHARACTERS AND (	ODADE O DDAILLE NOT DEGIO	1			


\_\_\_\_\_ ADVISE: \_\_\_\_

FLOOR MARKINGS: (CIRCLE EGRESS (★) FLOOR)\_\_\_\_

COVER MATERIAL: STAINLESS STEEL \_\_\_\_\_ MUNTZ \_\_\_\_ FINISH: # 4 SATIN \_\_\_\_ # 8 MIRROR \_\_\_\_ OTHER \_\_\_

ENGRAVE: NAME \_\_\_\_\_\_\_ LOGO \_\_\_\_\_\_ NOT REQ'D \_\_\_\_\_ 6-15-99 G:\SALES\FIXTURE PRICES\PLFE01.dwg


ESTABLISHED 1927  CONTRACTOR		.A.L. MANUFACTURING CORP. DEAST 153rd STREET BRONX, N.Y. 10451 ONE (718) 292-9000; FAX (718) 292-2034		SHEET OF HALL FIXTURES DATE: ESTIMATE # PURCHASE ORDER #				
ELEVAT	OR(S)	G.A.L. #						
QTY.	TYPE	DESCRIPTIONRISER(S)	B - J	UNIT NET	TOTAL NET			
		HALL STATION TERMINAL LANDING  CALL BUTTON (ILLUM)	DIGITAL INDICATOR WITH 1" HIGH CHAR'S  CUT THRU WITH"HIGH CHAR'S  HOISTWAY ACCESS KO  EMERG. SERV. KO & LIGHT  FIRE SERVICE KO & LIGHT  FIRE SERVICE INSTRUCTION  APPENDIX "H" FIRE SIGNAGE  IN CASE OF FIRE SIGNAGE					
		UP/DN BUTTONS (ILLUM)	DIGITAL INDICATOR WITH 1" HIGH CHAR'S  CUT THRU WITH"HIGH CHAR'S  EMERG. SERV. KO & LIGHT  FIRE SERVICE KO & LIGHT  FIRE SERVICE INSTRUCTION  APPENDIX "H" FIRE SIGNAGE					
		HALL STATION TERMINAL INTERMEDIATE  CALL UP/DN BUTTON(S) (ILLUM)	POSITION INDICATOR & DIR ARROWS  DIGITAL INDICATOR WITH 1" HIGH CHAR'S  CUT THRU WITH" HIGH CHAR'S  HOISTWAY ACCESS KO  EMERG. SERV. KO & LIGHT  FIRE SERVICE KO & LIGHT  FIRE SERVICE INSTRUCTION  APPENDIX "H" FIRE SIGNAGE					
		DIRECTION ARROWS ROUND INSERT SQUARE I	LANTERN ARROWS GONG 120V UNLESS OTHERWISE NOTEDVOLT					
		SIGNAL LANTERN TERMINAL LANDING 120 VOLT UNLESS OTHERWISE NOTED  SIGNAL LANTERN INTERMEDIATE LAND						
		HOISTWAY ACCESS SWITCH STATION FIRE SERVICE HALL STATION						
	В	PIT SWITCH STATIONPO:	SITION KEY SWITCHLIGHT					
BHANDICAP MARKINGS WITH RAISED CHARACTERS AND GRADE 2 BRAILLENOT REQ'D PB-PUSH BUTTON: TYPE ILLUMINATED NON-ILLUMINATED LAMP VOLTAGE ADVISE: KO-KEY OPERATED: G.A.L. ST'D CYL G.A.L. MEDECO CYL. (INSERT/SHELL/FLUSH) CUSTOMER CYL FLOOR MARKINGS: (CIRCLE EGRESS (★) FLOOR) ADVISE: COVER MATERIAL: STAINLESS STEEL MUNTZ FINISH: # 4 SATIN # 8 MIRROR OTHER ENGRAVE: NAME LOGO NOT REQ'D 6-15-99 G:\SALES\FIXTURE PRICES\PLFE02.dwg								



BRONX, N.Y. 10451 FAX 718 292 2034

- FIELD SURVEY FORM -


3/05



FAX 718 292 2034

- FIELD SURVEY FORM -

Α 3/05






TEL. 718 292 9000

BRONX, N.Y. 10451 FAX 718 292 2034

- FIELD SURVEY FORM -

DOC. No. 6232

Α 3/05





BRONX, N.Y. 10451 FAX 718 292 2034 TEL. 718 292 9000

- FIELD SURVEY FORM -

DOC. No. 6242

3/05









G.A.L. MANUFACTURING CORP. 50 E. 153rd STREET TEL. 718 292 9000

BRONX, N.Y. 10451 FAX 718 292 2034 EXISTING HATCH CONDITIONS CENTER PARTING DOORS - FIELD SURVEY FORM -

DATE 11-10-97

Α DOC. No. 6243 3/05






FAX 718 292 2034

- FIELD SURVEY FORM -

6244 3/05






50 E. 153rd STREET

TEL. 718 292 9000

BRONX, N.Y. 10451 FAX 718 292 2034 EXISTING CAR CONDITIONS TWO SPEED CENTER PARTING DOORS - FIELD SURVEY FORM -

DOC. No. 6235 3/05





50 E. 153rd STREET BRONX, N.Y. 10451

FAX 718 292 2034

TEL. 718 292 9000

- FIELD SURVEY FORM -

DOC. No. 6245

Α 3/05