

G.A.L. JET PLUS ORDER FORM


1036-E CAR STATION

UP TO 10 LANDINGS

Single column of floor buttons up to 5 landings. Double 6 to 10 landings



GAL No. _____



Box Cutout $9\frac{5}{8}$ x $35\frac{3}{8}$
 Box Depth $3\frac{1}{2}$

35" AFF

30 $\frac{7}{8}$ AFF
 Box Cutout

PLEASE COMPLETE THE FOLLOWING

Company Name _____		Job Name/Number _____	
Cover Material			
1/8" #4 Satin Finish		<input type="checkbox"/> Stainless Steel	<input type="checkbox"/> Muntz
Voltage			
<input type="checkbox"/> AC	<input type="checkbox"/> DC	<input type="checkbox"/> 6	<input type="checkbox"/> 12
		<input type="checkbox"/> 24	<input type="checkbox"/> 28
		<input type="checkbox"/> 35	<input type="checkbox"/> 48
		<input type="checkbox"/> 60	<input type="checkbox"/> 120
		<input type="checkbox"/> 120 Neon	
Fire Operation <input type="checkbox"/> None NOTE: SPECIFY WHICH CODE APPLIES			
<input type="checkbox"/> ASME - 2000	<input type="checkbox"/> Mass./ Maine/ New Hampshire	<input type="checkbox"/> S. Carolina	
<input type="checkbox"/> ASME - 1996	<input type="checkbox"/> N. Rochelle/Yonkers,NY	<input type="checkbox"/> Mt. Vernon,NY	
<input type="checkbox"/> Penn. (Old)	<input type="checkbox"/> New York City	<input type="checkbox"/> White Plains,NY	
<input type="checkbox"/> Connecticut	<input type="checkbox"/> Other Code _____		
Key Switches <input type="checkbox"/> None <small>Cylinder choice also applies to Fire Operation for ASME and PA.</small>			
<input type="checkbox"/> GAL Std. Chicago Cylinder		<input type="checkbox"/> Medeco Security Cylinder	
Choose up to 5 key switches. A light up indicator may be substituted. Please advise.			
<input type="checkbox"/> Light	<input type="checkbox"/> Fan (1sp)	<input type="checkbox"/> Fan (2sp)	<input type="checkbox"/> Light/Fan (1sp)
<input type="checkbox"/> Ind. Service	<input type="checkbox"/> Inspection (for in car inspection)	<input type="checkbox"/> Electric Eye	<input type="checkbox"/> Door Hold
<input type="checkbox"/> Access, off / on	<input type="checkbox"/> Combination Access / Inspection switch.		
Enables hoistway access sw's. per ASME-2000 code.			
<input type="checkbox"/> Mass. EMT Key Switch, Light & Audible Signal		<input type="checkbox"/> Other _____	
Additional Audible Signal			
<input type="checkbox"/> Yes		<input type="checkbox"/> No (Used for Reduced Speed Door Close, etc.)	
Push Button Style			
<input type="checkbox"/> California 1/8" Protruding Buttons Used By Passengers (Not available with SH). Includes Engraving For Alarm Button.			
<input type="checkbox"/> RBW	<input type="checkbox"/> SWB	<input type="checkbox"/> VPB	<input type="checkbox"/> SH
<small>Black Halo White Button</small>	<small>Black Halo White Button</small>	<small>Black Halo/Metal Button Center Illuminated</small>	<small>White Halo Metal Button</small>
<input type="checkbox"/> RBW	<input type="checkbox"/> SBW	<input type="checkbox"/> VPW	
<small>White Halo Black Button</small>	<small>White Halo Black Button</small>	<small>White Halo Metal Button</small>	
<input type="checkbox"/> RWW	<input type="checkbox"/> SWW	<input type="checkbox"/> VP	
<small>White Halo White Button</small>	<small>White Halo White Button</small>	<small>Metal Button Center Illuminated</small>	
Number of Floors _____			
Floor Markings _____			
Circle egress (★) floor			
Stop Switch			
<input type="checkbox"/> Toggle		<input type="checkbox"/> Key Operated	
		<input type="checkbox"/> Pull to Stop	
Engraving <input type="checkbox"/> Plate <input type="checkbox"/> Logo			
Capacity _____		<input type="checkbox"/> Name _____	
Hinge			Quantity _____
<input type="checkbox"/> As shown <input type="checkbox"/> Opposite			