



**POWER OPERATED SINGLE SPEED CAR & HATCH DOORS**  
 22" to 48" x 84" DOOR OPENINGS

**NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS**

ISSUE DATE: 5/1/2008

**MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)**

QTY	TYPE	DESCRIPTION	LIST
1	MODL	STANDARD DUTY (22" to 42" OPENINGS)	1,515.24
	MOHL	HEAVY DUTY (22" to 42" OPENINGS)	2,466.06
		HEAVY DUTY - WITH POWER GEARING (43" to 48" OPENINGS)	2,737.92
	MODCTL	STANDARD DUTY - CAR TOP CONTROL (22" to 42" OPENINGS)	2,631.66
	MOHCTL	HEAVY DUTY - CAR TOP CONTROL (22" to 42" OPENINGS)	3,430.68
		HEAVY DUTY - CAR TOP CONTROL , WITH POWER GEARING (43" to 48" OPENINGS)	3,702.54
MOVFR II	V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (22" to 48" OPENINGS)	2,820.72	
1	G	GATE SWITCH ASSY (MANDATORY ITEM) (22" to 48" OPENINGS)	102.12
		SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (22" to 48" OPENINGS)	136.62

**CAR DOOR EQUIPMENT**

QTY	TYPE	DESCRIPTION	LIST
1	S/S	CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK, AND HEADER	
		(22" to 42" OPENINGS)	238.74
		(43" to 48" OPENINGS)	416.76
1	LWZ-2	CAR DOOR CLUTCH WITH ZONE LOCK (A)	714.84

**HATCH DOOR EQUIPMENT**

NOTE: \* ONE REQUIRED PER HATCH OPENING

QTY	TYPE	DESCRIPTION	LIST
*	S/S	HATCH DOOR HANGER W/: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), & TRACK	
		(22" to 42" OPENINGS)	129.72
		(43" to 48" OPENINGS)	207.00
*	S/S	SPRING DOOR CLOSER	78.66
*	MOH	INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE)	171.12

**OPTIONAL DOOR EQUIPMENT**

QTY	TYPE	DESCRIPTION	LIST
1	DPFS	FORMULA SYSTEMS STANDARD POWER SUPPLY ( TRADITIONAL OPERATORS)	690.00
		FORMULA SYSTEMS INTEGRATED POWER SUPPLY ( MOVFR OPERATORS ONLY)	608.58
	DPTT	TRI-TRONICS STANDARD POWER SUPPLY ( TRADITIONAL OPERATORS)	1,079.16
		TRI-TRONICS INTEGRATED POWER SUPPLY ( MOVFR OPERATORS ONLY)	994.98
1	FM	DOOR TAMPERING MONITOR (C)	596.16
1		FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)	69.00
1	KMO	KEY	17.94
1	Handheld	HAND HELD PARAMETER UNIT WITH 7FT. CABLE	255.30

*FOR USE WITH  
MOVFR II OPERATORS*

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5



PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.



F.O.B. BRONX, NEW YORK  
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE



**POWER OPERATED TWO SPEED CAR & HATCH DOORS**  
 24" to 72" x 84" DOOR OPENINGS

<b>NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS</b>			
			ISSUE DATE: 5/1/2008
<b>MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)</b>			
QTY	TYPE	DESCRIPTION	LIST
1	MODL	STANDARD DUTY (24" to 59" OPENINGS)	1,515.24
	MOHL	HEAVY DUTY (24" to 59" OPENINGS)	2,466.06
		HEAVY DUTY - WITH POWER GEARING (60" to 72" OPENINGS)	2,737.92
	MODCTL	STANDARD DUTY - CAR TOP CONTROL (24" to 59" OPENINGS)	2,631.66
	MOHCTL	HEAVY DUTY - CAR TOP CONTROL (24" to 59" OPENINGS)	3,430.68
		HEAVY DUTY - CAR TOP CONTROL, WITH POWER GEARING (60" to 72" OPENINGS)	3,702.54
1	G	V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (24" to 72" OPENINGS)	2,820.72
		GATE SWITCH ASSY (MANDATORY ITEM) (24" to 72" OPENINGS)	102.12
		SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (24" to 72" OPENINGS)	136.62
<b>CAR DOOR EQUIPMENT</b>			
QTY	TYPE	DESCRIPTION	LIST
1	2/SP	CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK (UNGEARED), AND HEADER (24" to 29" OPENINGS)	561.66
		(30" to 48" OPENINGS)	434.70
		(49" to 64" OPENINGS)	612.72
		(65" to 72" OPENINGS)	790.74
1	LWZ-2	CAR DOOR CLUTCH WITH ZONE LOCK (A)	714.84
<b>HATCH DOOR EQUIPMENT</b>			
NOTE: * ONE REQUIRED PER HATCH OPENING			
QTY	TYPE	DESCRIPTION	LIST
*	2/SP	HATCH DOOR HANGER WITH: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), TRACK (UNGEARED), & MECHANICAL INTERCONNECTING DEVICE (C) (24" to 29" OPENINGS)	391.92
		(30" to 48" OPENINGS)	285.66
		(49" to 64" OPENINGS)	361.56
		(65" to 72" OPENINGS)	438.84
*	2/SP	SPRING DOOR CLOSER (24" to 48" OPENINGS)	115.92
		(49" to 66" OPENINGS W/ DUAL SPRINGS)	191.82
		(67" to 72" OPENINGS W/ DUAL SPRINGS)	269.10
*	MOH	INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) (24" to 52" OPENINGS)	171.12
		(53" to 72" OPENINGS)	187.68
<b>OPTIONAL DOOR EQUIPMENT</b>			
QTY	TYPE	DESCRIPTION	LIST
1	DPFS	FORMULA SYSTEMS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)	690.00
		FORMULA SYSTEMS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)	608.58
	DPTT	TRI-TRONICS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)	1,079.16
		TRI-TRONICS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)	994.98
1	FM	DOOR TAMPERING MONITOR (C)	596.16
1		FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)	69.00
1	KMO	KEY	17.94
1	Handheld	HAND HELD PARAMETER UNIT WITH 7FT. CABLE	255.30
			FOR USE WITH MOVFR II OPERATORS

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) MECHANICAL INTERCONNECTING DEVICE COMPLIES WITH: ASME A17.1 RULE 110.11g, CAN/CSA-B44-94 RULE 2.12.2.1.7
- (D) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5

**PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.**
  
**F.O.B. BRONX, NEW YORK**  
**PRICES SUBJECT TO CHANGE WITHOUT NOTICE**



**POWER OPERATED THREE SPEED CAR & HATCH DOORS**  
**30" to 72" x 84" DOOR OPENINGS (MINIMUM DOOR PANEL: 12 1/2" WIDE)**

<b>NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS</b>				
			<b>ISSUE DATE:</b>	
<b>5/1/2008</b>				
<b>MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)</b>				
<b>QTY</b>	<b>TYPE</b>	<b>DESCRIPTION</b>	<b>LIST</b>	
1	MODL	STANDARD DUTY (30" to 59" OPENINGS)	1584.24	
	MOHL	HEAVY DUTY (30" to 59" OPENINGS)	2541.96	
		HEAVY DUTY - WITH POWER GEARING (60" to 72" OPENINGS)	2813.82	
	MODCTL	STANDARD DUTY - CAR TOP CONTROL (30" to 59" OPENINGS)	2707.56	
	MOHCTL	HEAVY DUTY - CAR TOP CONTROL (30" to 59" OPENINGS)	3506.58	
		HEAVY DUTY - CAR TOP CONTROL , WITH POWER GEARING (60" to 72" OPENINGS)	3779.82	
1	G	V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (30" to 72" OPENINGS)	2891.10	
		GATE SWITCH ASSY (MANDATORY ITEM) (30" to 72" OPENINGS)	102.12	
		SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (30" to 72" OPENINGS)	136.62	
<b>CAR DOOR EQUIPMENT</b>				
<b>QTY</b>	<b>TYPE</b>	<b>DESCRIPTION</b>	<b>LIST</b>	
1	3/SP	CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK, AND HEADER		
		CABLE GEARED INTERMEDIATE TO SLOW DOOR (30" to 48" OPENINGS)	850.08	
		CABLE GEARED INTERMEDIATE TO SLOW DOOR (49" to 58" OPENINGS)	1233.72	
		CABLE GEARED INTERMEDIATE TO SLOW DOOR (60" to 69" OPENINGS)	1487.64	
		UNGEARED (70" to 72" OPENINGS)	1871.28	
1	LWZ-2	CAR DOOR CLUTCH WITH ZONE LOCK (A)	714.84	
<b>HATCH DOOR EQUIPMENT</b>				
<b>NOTE: * ONE REQUIRED PER HATCH OPENING</b>				
<b>QTY</b>	<b>TYPE</b>	<b>DESCRIPTION</b>	<b>LIST</b>	
*	3/SP	HATCH DOOR HANGER WITH: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), TRACK UNGEARED), & (2) MECHANICAL (UNGEARED), & (2) MECHANICAL INTERCONNECTING DEVICE(c)		
		(30" to 48" OPENINGS)	557.52	
		(49" to 59" OPENINGS)	794.88	
		(60" to 69" OPENINGS)	986.70	
		(70" to 72" OPENINGS)	1,225.44	
*	3/SP	SPRING DOOR CLOSER (SHOE TYPE)	(30" to 69" OPENINGS)	723.12
			(70" to 72" OPENINGS)	935.64
*	MOH	INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE)	(30" to 54" OPENINGS)	171.12
			(55" to 69" OPENINGS)	187.68
			(70" to 72" OPENINGS)	247.02
<b>OPTIONAL DOOR EQUIPMENT</b>				
<b>QTY</b>	<b>TYPE</b>	<b>DESCRIPTION</b>	<b>LIST</b>	
1	DPFS	FORMULA SYSTEMS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)	690.00	
		FORMULA SYSTEMS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)	608.58	
1	DPTT	TRI-TRONICS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)	1,079.16	
		TRI-TRONICS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)	994.98	
1	FM	DOOR TAMPERING MONITOR (C)	596.16	
1		FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)	69.00	
1	KMO	KEY	17.94	
1	Handheld	HAND HELD PARAMETER UNIT WITH 7FT. CABLE		
			FOR USE WITH MOVFR II OPERATORS	255.30

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) MECHANICAL INTERCONNECTING DEVICES COMPLY WITH: ASME A17.1 RULE 110.11g, CAN/CSA-B44-94 RULE 2.12.2.1.7
- (D) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5



PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.



F.O.B. BRONX, NEW YORK  
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE



**POWER OPERATED SINGLE SPEED CENTER PARTING CAR & HATCH DOORS**  
**30" to 83" x 84" DOOR OPENINGS**

**NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS**

ISSUE DATE: 5/1/2008

**MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)**

QTY	TYPE	DESCRIPTION	LIST
1	MODL	STANDARD DUTY (30" to 59" OPENINGS)	1,658.76
	MOHL	HEAVY DUTY (30" to 83" OPENINGS)	2,384.64
	MODCTL	STANDARD DUTY - CAR TOP CONTROL (30" to 59" OPENINGS)	2,536.44
	MOHCTL	HEAVY DUTY - CAR TOP CONTROL (30" to 83" OPENINGS)	3,262.32
	MOVFR II	V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (30" to 83" OPENINGS)	2,964.24
1	G	GATE SWITCH ASSY (MANDATORY ITEM) (30" to 83" OPENINGS)	102.12
		SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (30" to 83" OPENINGS)	136.62

**CAR DOOR EQUIPMENT**

QTY	TYPE	DESCRIPTION	LIST
1	C/P	CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK (UNGEARED), AND HEADER (30" to 50" OPENINGS)	447.12
		(51" to 59" OPENINGS)	625.14
		(60" to 68" OPENINGS)	804.54
		(69" to 83" OPENINGS)	982.56
1	LWZ-2	CAR DOOR CLUTCH WITH ZONE LOCK (A) (30" to 83" OPENINGS)	714.84
1	LW2	ADDITIONAL CAR DOOR CLUTCH (60" to 83" OPENINGS)	572.70

**HATCH DOOR EQUIPMENT**

NOTES: \* ONE REQUIRED PER HATCH OPENING  
 \*\* TWO REQUIRED PER HATCH OPENING

QTY	TYPE	DESCRIPTION	LIST
*	C/P	HATCH DOOR HANGER W/: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), & TRACK (D)	
		CABLE GEARED (30" to 50" OPENINGS)	293.94
		CABLE GEARED (51" to 59" OPENINGS)	369.84
		UNGEARED W/ BUMPERS (60" to 68" OPENINGS)	447.12
		UNGEARED W/ BUMPERS (69" to 83" OPENINGS)	523.02
*	C/P	SPRING DOOR CLOSER (30" to 59" OPENINGS)	78.66
**		SPRING DOOR CLOSER \$63.00 EA. (60" to 83" OPENINGS)	157.32
*	MOCPH	INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) (30" to 59" OPENINGS)	255.30
**	MOH	INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$137.00 EA. (60" to 79" OPENINGS)	342.24
		INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$150.00 EA. (80" to 83" OPENINGS)	375.36

**OPTIONAL DOOR EQUIPMENT**

QTY	TYPE	DESCRIPTION	LIST
1	DPFS	FORMULA SYSTEMS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)	690.00
		FORMULA SYSTEMS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)	608.58
1	DPTT	TRI-TRONICS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)	1,079.16
		TRI-TRONICS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)	994.98
1	FM	DOOR TAMPERING MONITOR (C)	596.16
1		FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)	69.00
1	KMO	KEY	17.94
1	Handheld	HAND HELD PARAMETER UNIT WITH 7FT. CABLE	255.30

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5
- (D) SPLIT CAR & HATCH DOOR TRACKS FURNISHED WITH DOOR OPENINGS 60" TO 83"



PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.



F.O.B. BRONX, NEW YORK  
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE



**G.A.L. Canada Elevator Products** 50 Queens Plate Drive Unit 2 & 3, Toronto, ON M9W 6P2  
 Phone (888) GAL-CANADA Fax (416) 747-9035 E-mail info@gal.com Web www.galcanada.com

**POWER OPERATED TWO SPEED CENTER PARTING CAR & HATCH DOORS**

33" to 83" x 84" DOOR OPENINGS (MINIMUM DOOR PANEL: 12 1/2" WIDE)

<b>NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS</b>			
			ISSUE DATE
			5/1/2008
<b>MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)</b>			
QTY	TYPE	DESCRIPTION	LIST
1	MODL	STANDARD DUTY (33" to 59" OPENINGS)	1,658.76
	MOHL	HEAVY DUTY (33" to 83" OPENINGS)	2,384.64
	MODCTL	STANDARD DUTY - CAR TOP CONTROL (33" to 59" OPENINGS)	2,536.44
	MOHCTL	HEAVY DUTY - CAR TOP CONTROL (33" to 83" OPENINGS)	3,262.32
	MOVFR II	V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (33" to 83" OPENINGS)	2,964.24
1	G	GATE SWITCH ASSY (MANDATORY ITEM) (30" to 83" OPENINGS)	102.12
		SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (30" to 83" OPENINGS)	136.62
<b>CAR DOOR EQUIPMENT</b>			
QTY	TYPE	DESCRIPTION	LIST
1	2SP/CP	CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK (E) (UNGEARED), AND HEADER (33" to 59" OPENINGS)	1,021.20
		(60" to 69" OPENINGS)	1,199.22
		(70" to 73" OPENINGS)	1,377.24
		(74" to 83" OPENINGS)	1,483.50
1	LWZ-2	CAR DOOR CLUTCH WITH ZONE LOCK (A) (33" to 83" OPENINGS)	714.84
1	LW2	ADDITIONAL CAR DOOR CLUTCH (33" to 83" OPENINGS)	572.70
<b>HATCH DOOR EQUIPMENT</b>			
NOTES: * ONE REQUIRED PER HATCH OPENING			
** TWO REQUIRED PER HATCH OPENING			
QTY	TYPE	DESCRIPTION	LIST
*	2SP/CP	HATCH DOOR HANGER WITH: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), TRACK (E) (UNGEARED W/ BUMPERS), & (2) MECHANICAL INTERCONNECTING DEVICE (C) (33" to 59" OPENINGS)	637.56
		(60" to 69" OPENINGS)	714.84
		(70" to 83" OPENINGS)	790.74
**	2SP/CP	SPRING DOOR CLOSER \$93.00 EA.	231.84
**	MOH	INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$137.00 EA. (60" to 79" OPENINGS)	342.24
		INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$150.00 EA. (80" to 83" OPENINGS)	375.36
<b>OPTIONAL DOOR EQUIPMENT</b>			
QTY	TYPE	DESCRIPTION	LIST
1	DPFS	FORMULA SYSTEMS STANDARD POWER SUPPLY ( TRADITIONAL OPERATORS)	690.00
		FORMULA SYSTEMS INTEGRATED POWER SUPPLY ( MOVFR OPERATORS ONLY)	608.58
1	DPTT	TRI-TRONICS STANDARD POWER SUPPLY ( TRADITIONAL OPERATORS)	1,079.16
		TRI-TRONICS INTEGRATED POWER SUPPLY ( MOVFR OPERATORS ONLY)	994.98
1	FM	DOOR TAMPERING MONITOR (D)	596.16
1		FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)	69.00
1	KMO	KEY	17.94
1	Handheld	HAND HELD PARAMETER UNIT WITH 7FT. CABLE	255.30
		FOR USE WITH MOVFR II OPERATORS	

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) MECHANICAL INTERCONNECTING DEVICES COMPLY WITH: ASME A17.1 RULE 110.11g, CAN/CSA-B44-94 RULE 2.12.2.1.7
- (D) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5
- (E) SPLIT CAR & HATCH DOOR TRACK FURNISHED WITH DOOR OPENINGS 74" TO 83"



PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.



F.O.B. BRONX, NEW YORK

PRICES SUBJECT TO CHANGE WITHOUT NOTICE



G.A.L. Canada Elevator Products 50 Queens Plate Drive Unit 2 & 3, Toronto, ON M9W 6P2  
 Phone (888) GAL-CANADA Fax (416) 747-9035 E-mail info@gal.com Web www.galcanada.com

**POWER OPERATED TWO SPEED CENTER PARTING CAR DOORS WITH  
 POWER OPERATED SINGLE SPEED CENTER PARTING HATCH DOORS**

33" to 83" x 84" DOOR OPENINGS (MINIMUM DOOR PANEL: 12 1/2" WIDE)

<b>NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS</b>			
			ISSUE DATE: 5/1/2008
<b>MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)</b>			
QTY	TYPE	DESCRIPTION	LIST
1	MODL	STANDARD DUTY (33" to 59" OPENINGS)	1,658.76
	MOHL	HEAVY DUTY (33" to 83" OPENINGS)	2,384.64
	MODCTL	STANDARD DUTY - CAR TOP CONTROL (33" to 59" OPENINGS)	2,536.44
	MOHCTL	HEAVY DUTY - CAR TOP CONTROL (33" to 83" OPENINGS)	3,262.32
	MOVFR II	V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (33" to 83" OPENINGS)	2,964.24
1	G	GATE SWITCH ASSY (MANDATORY ITEM) (30" to 83" OPENINGS)	102.12
		SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (30" to 83" OPENINGS)	136.62
<b>CAR DOOR EQUIPMENT</b>			
QTY	TYPE	DESCRIPTION	LIST
1	2SP/CP	CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK (D) (UNGEARED), AND HEADER (33" to 59" OPENINGS)	1,021.20
		(60" to 69" OPENINGS)	1,199.22
		(70" to 73" OPENINGS)	1,377.24
		(74" to 83" OPENINGS)	1,483.50
1	LWZ-2	CAR DOOR CLUTCH WITH ZONE LOCK (A) (33" to 83" OPENINGS)	714.84
1	LW2	ADDITIONAL CAR DOOR CLUTCH (60" to 83" OPENINGS)	572.70
1		DOOR LINK AND BRACKET (33" to 59" OPENINGS)	60.72
<b>HATCH DOOR EQUIPMENT</b>			
NOTES: * - ONE REQUIRED PER HATCH OPENING			
** - TWO REQUIRED PER HATCH OPENING			
QTY	TYPE	DESCRIPTION	LIST
*	C/P	HATCH DOOR HANGER W/: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), & TRACK (D)	
		CABLE GEARED (33" to 50" OPENINGS)	293.94
		CABLE GEARED (51" to 59" OPENINGS)	369.84
		UNGEARED W/ BUMPERS (60" to 68" OPENINGS)	447.12
		UNGEARED W/ BUMPERS (69" to 83" OPENINGS)	523.02
*	C/P	SPRING DOOR CLOSER (33" to 59" OPENINGS)	78.66
**		SPRING DOOR CLOSER \$63.00 EA. (60" to 83" OPENINGS)	157.32
*	MOCPH	INTERLOCK (SWITCH, KEEPERS, ROLLER RELEASE, LINKAGE & HARDWARE) (33" to 59" OPENINGS)	255.30
**	MOH	INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$137.00 EA. (60" to 79" OPENINGS)	342.24
		INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$150.00 EA. (80" to 83" OPENINGS)	375.36
<b>OPTIONAL DOOR EQUIPMENT</b>			
QTY	TYPE	DESCRIPTION	LIST
1	DPFS	FORMULA SYSTEMS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)	690.00
		FORMULA SYSTEMS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)	608.58
	DPTT	TRI-TRONICS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)	1,079.16
		TRI-TRONICS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)	994.98
1	FM	DOOR TAMPERING MONITOR (C)	596.16
1		FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)	69.00
1	KMO	KEY	17.94
1	Handheld	HAND HELD PARAMETER UNIT WITH 7FT. CABLE	255.30
			FOR USE WITH MOVFR II OPERATORS

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5
- (D) SPLIT CAR DOOR TRACK FURNISHED WITH DOOR OPENINGS 74" TO 83"
- SPLIT HATCH DOOR TRACK FURNISHED WITH DOOR OPENINGS 60" TO 83"



PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.



F.O.B. BRONX, NEW YORK  
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE